

’ i

,

,

2, 3, 6 - i

3 -

,

2, 3, 6

3

8.04-08-2025

8.04-08-2025

-

-

’  
i

---

,

,

2, 3, 6 - i

3 -

---

,

2, 3, 6  
3

8.04-08-2025  
8.04-08-2025

-

-

1 « »  
2 ( )  
- ( )

3 2026 20 34-  
2026 1

,  
,

1 « »  
2  
- ( )  
( )  
3 20 2026  
34-  
с 1 2026

,  
,

217.		1
217-1.		1
232.		1
232-1.		1
233.		2
233-1.		2
241.		2
241-1.		2
241-3.		3
251.	,	23
251-1.	,	23



,

**21.****217.****217-1.****217-103.**

				,	,	,
217-103-2300		.				
217-103-2303	10 112	.	1	0,041	33	33

**23.****232.****232-1.****232-103.**

				,	,	,
232-103-0100		2	2	12,5		
232-103-0101	10	2	2	12,5	3 626	3 704
232-103-0200		2	2	12,5		
232-103-0201	10	2	2	12,5	3 899	3 980

**232-104.****-**

				,	,	,
232-104-0100	-	2				
232-104-0101	8	2	2	10,75	2 940	3 005
232-104-0102	10	2	2	13,5	3 418	3 497

				,	,	,
232-104-0103	12	2	2	16	3 848	3 938
232-104-0104	16	2	2	21,5	4 706	4 822
232-104-0105	20	2	2	27	5 827	5 971

**233.****233-1.****233-101.**

				,	,	,
233-101-0100	7251-2016	2				
233-101-0105	, 33, 34	2	1	3	5 037	5 105
233-101-0106	, 33, 34	2	1	3,1	4 156	4 213
233-101-0107	, 41, 42, 43	2	1	3,2	5 247	5 318
233-101-0109	, 34-43, 1	2	1	2,58	5 462	5 534

**24.****241.****241-1.****241-113.**

				,	,	,
241-113-0200	17380-2001 ( 17376-2001)	.				
241-113-0228	273 7,0-159 7,0	.	1	20	39 282	39 505
241-113-0229	273 8,0-159 4,5	.	1	20,5	39 282	39 507

241-113-0230	273 8,0-159 8,0	.	1	28	39 282	39 524
241-113-0231	273 8,0-219 6,0	.	1	29	39 282	39 526
241-113-0232	273 8,0-219 8,0	.	1	30	39 282	39 529

**241-3.**  
**241-301.**

241-301-0800	GRP , PN 1, EN 1796-2018 Grey					
241-301-0801	DN 300		3	10,5	55 016	55 716
241-301-0802	DN 350		3	14,5	63 134	63 947
241-301-0803	DN 400		3	18,5	71 933	72 867
241-301-0804	DN 500		3	29	91 414	92 623
241-301-0805	DN 600		3	39,5	113 855	115 373
241-301-0806	DN 700		3	53	141 157	143 054
241-301-0807	DN 800		3	69	172 742	175 079
241-301-0808	DN 900		3	87	208 234	211 066
241-301-0809	DN 1000		3	106	219 639	222 681
241-301-0810	DN 1200		3	152	298 211	302 372
241-301-0811	DN 1400		3	207	390 973	396 458
241-301-0812	DN 1600		3	270	495 535	502 516
241-301-0813	DN 1800		3	341	553 616	561 567
241-301-0814	DN 2000		3	420	674 200	683 900
241-301-0815	DN 2200		3	507	811 086	822 762
241-301-0816	DN 2400		3	602	965 521	979 415

241-301-0817	DN 3000		3	938	1 496 541	1 518 096
241-301-0900	Grey GRP, PN 6, SN 5000 EN 1796-2018					
241-301-0901	DN 300		3	10,5	55 135	55 837
241-301-0902	DN 350		3	14,5	63 379	64 195
241-301-0903	DN 400		3	18,5	72 255	73 193
241-301-0904	DN 500		3	29	92 005	93 220
241-301-0905	DN 600		3	39,5	114 445	115 970
241-301-0906	DN 700		3	53	141 998	143 905
241-301-0907	DN 800		3	69	174 126	176 480
241-301-0908	DN 900		3	87	210 298	213 155
241-301-0909	DN 1000		3	106	221 942	225 011
241-301-0910	DN 1200		3	152	301 313	305 511
241-301-0911	DN 1400		3	207	393 956	399 477
241-301-0912	DN 1600		3	270	499 185	506 210
241-301-0913	DN 1800		3	341	557 374	565 370
241-301-0914	DN 2000		3	420	679 228	688 989
241-301-0915	DN 2200		3	507	816 937	828 684
241-301-0916	DN 2400		3	602	971 826	985 796
241-301-0917	DN 3000		3	938	1 502 536	1 524 163
241-301-1000	Grey GRP, PN 10, SN 5000 EN 1796-2018					
241-301-1001	DN 300		3	10,5	55 248	55 952
241-301-1002	DN 350		3	14	63 617	64 434
241-301-1003	DN 400		3	17,5	72 571	73 509

8.04-08-2025

241-301-1004	DN 500		3	27	92 589	93 804
241-301-1005	DN 600		3	36	115 036	116 554
241-301-1006	DN 700		3	49	142 839	144 741
241-301-1007	DN 800		3	63	175 504	177 851
241-301-1008	DN 900		3	81	212 356	215 215
241-301-1009	DN 1000		3	99	224 238	227 309
241-301-1010	DN 1200		3	142	304 408	308 606
241-301-1011	DN 1400		3	192	396 932	402 432
241-301-1012	DN 1600		3	250	502 830	509 822
241-301-1013	DN 1800		3	316	561 126	569 071
241-301-1014	DN 2000		3	389	684 251	693 953
241-301-1015	DN 2200		3	469	822 789	834 461
241-301-1016	DN 2400		3	558	978 131	992 008
241-301-1017	DN 3000		3	869	1 508 531	1 529 965
241-301-1100	16, SN 5000 Grey EN 1796-2018	GRP , PN				
241-301-1101	DN 300		3	9,5	57 414	58 139
241-301-1102	DN 350		3	13	66 325	67 171
241-301-1103	DN 400		3	16	76 013	76 986
241-301-1104	DN 500		3	25	98 411	99 688
241-301-1105	DN 600		3	33	122 952	124 554
241-301-1106	DN 700		3	44	153 773	155 787
241-301-1107	DN 800		3	57	189 331	191 821
241-301-1108	DN 900		3	72	228 903	231 926
241-301-1109	DN 1000		3	89	242 097	245 344
241-301-1110	DN 1200		3	126	330 380	334 828

241-301-1111	DN 1400		3	171	432 353	438 197
241-301-1112	DN 1600		3	222	551 051	558 515
241-301-1113	DN 1800		3	280	615 748	624 211
241-301-1114	DN 2000		3	345	750 182	760 507
241-301-1115	DN 2200		3	416	901 062	913 470
241-301-1116	DN 2400		3	495	1 067 875	1 082 587
241-301-1117	DN 3000		3	770	1 643 037	1 665 705
241-301-1200	20, SN 5000 Grey EN 1796-2018 GRP , PN					
241-301-1201	DN 300		3	9	58 756	59 495
241-301-1202	DN 350		3	12	68 431	69 298
241-301-1203	DN 400		3	16	78 965	79 974
241-301-1204	DN 500		3	24	102 611	103 934
241-301-1205	DN 600		3	32	129 084	130 755
241-301-1206	DN 700		3	43	162 261	164 373
241-301-1207	DN 800		3	55	200 121	202 734
241-301-1208	DN 900		3	70	242 223	245 398
241-301-1209	DN 1000		3	85	257 034	260 444
241-301-1210	DN 1200		3	122	352 946	357 649
241-301-1211	DN 1400		3	165	464 206	470 409
241-301-1212	DN 1600		3	214	591 005	598 918
241-301-1213	DN 1800		3	270	660 498	669 459
241-301-1214	DN 2000		3	332	804 775	815 705
241-301-1215	DN 2200		3	401	966 189	979 320
241-301-1216	DN 2400		3	476	1 145 433	1 161 003

241-301-1300	GRP , PN 25, SN 5000 Grey EN 1796-2018					
241-301-1301	DN 300		3	9	61 201	61 970
241-301-1302	DN 350		3	12	71 515	72 419
241-301-1303	DN 400		3	15	82 616	83 665
241-301-1304	DN 500		3	23	107 938	109 321
241-301-1305	DN 600		3	31	136 832	138 593
241-301-1306	DN 700		3	42	172 062	174 288
241-301-1307	DN 800		3	54	213 370	216 137
241-301-1308	DN 900		3	68	260 351	263 735
241-301-1309	DN 1000		3	83	277 733	281 384
241-301-1310	DN 1200		3	119	383 201	388 255
241-301-1311	DN 1400		3	160	504 142	510 805
241-301-1312	DN 1600		3	208	641 201	649 693
241-301-1313	DN 1800		3	262	717 762	727 380
241-301-1314	DN 2000		3	323	873 802	885 526
241-301-1315	DN 2200		3	377	1 022 034	1 035 743
241-301-1316	DN 2400		3	434	1 180 268	1 196 096
241-301-1400	GRP , PN 1, SN 10000 Grey EN 1796-2018					
241-301-1401	DN 300		3	13	60 903	61 684
241-301-1402	DN 350		3	17,5	70 507	71 420
241-301-1403	DN 400		3	22,5	80 785	81 840
241-301-1404	DN 500		3	35	104 227	105 612
241-301-1405	DN 600		3	48	130 873	132 628

241-301-1406	DN 700		3	66	164 122	166 345
241-301-1407	DN 800		3	85	202 191	204 943
241-301-1408	DN 900		3	107	244 973	248 323
241-301-1409	DN 1000		3	133	260 929	264 570
241-301-1410	DN 1200		3	191	356 984	362 000
241-301-1411	DN 1400		3	259	468 656	475 273
241-301-1412	DN 1600		3	337	597 054	605 510
241-301-1413	DN 1800		3	425	669 028	678 686
241-301-1414	DN 2000		3	523	818 476	830 303
241-301-1415	DN 2200		3	632	989 399	1 003 695
241-301-1416	DN 2400		3	750	1 185 816	1 202 921
241-301-1500	, SN 10000      Grey      GRP EN 1796-2018      , PN 6,					
241-301-1501	DN 300		3	13	60 951	61 732
241-301-1502	DN 350		3	17,5	70 578	71 492
241-301-1503	DN 400		3	22,5	80 868	81 925
241-301-1504	DN 500		3	35	104 353	105 739
241-301-1505	DN 600		3	48	131 046	132 803
241-301-1506	DN 700		3	66	164 415	166 641
241-301-1507	DN 800		3	85	202 752	205 511
241-301-1508	DN 900		3	107	245 659	249 017
241-301-1509	DN 1000		3	133	261 621	265 270
241-301-1510	DN 1200		3	191	357 969	362 996
241-301-1511	DN 1400		3	259	469 903	476 535
241-301-1512	DN 1600		3	337	598 605	607 080
241-301-1513	DN 1800		3	425	670 680	680 358

241-301-1514	DN 2000		3	523	820 928	832 784
241-301-1515	DN 2200		3	632	992 650	1 006 985
241-301-1516	DN 2400		3	750	1 189 866	1 207 020
241-301-1600	10, SN 10000 Grey EN 1796-2018 GRP , PN					
241-301-1601	DN 300		3	13	60 993	61 774
241-301-1602	DN 350		3	17,5	70 644	71 559
241-301-1603	DN 400		3	22,5	80 952	82 009
241-301-1604	DN 500		3	35	104 478	105 866
241-301-1605	DN 600		3	48	131 213	132 972
241-301-1606	DN 700		3	66	164 701	166 930
241-301-1607	DN 800		3	85	203 313	206 078
241-301-1608	DN 900		3	107	246 339	249 705
241-301-1609	DN 1000		3	133	262 313	265 971
241-301-1610	DN 1200		3	191	358 953	363 992
241-301-1611	DN 1400		3	259	471 143	477 790
241-301-1612	DN 1600		3	337	600 156	608 649
241-301-1613	DN 1800		3	425	672 327	682 024
241-301-1614	DN 2000		3	523	823 380	835 265
241-301-1615	DN 2200		3	632	995 901	1 010 275
241-301-1616	DN 2400		3	750	1 193 916	1 211 119
241-301-1700	16, SN 10000 Grey EN 1796-2018 GRP , PN					
241-301-1701	DN 300		3	12	61 893	62 682
241-301-1702	DN 350		3	16	71 825	72 748

241-301-1703	DN 400		3	21	82 640	83 712
241-301-1704	DN 500		3	32	107 514	108 927
241-301-1705	DN 600		3	43	135 884	137 679
241-301-1706	DN 700		3	58	170 958	173 232
241-301-1707	DN 800		3	75	211 706	214 534
241-301-1708	DN 900		3	95	256 485	259 927
241-301-1709	DN 1000		3	117	272 364	276 081
241-301-1710	DN 1200		3	167	372 845	377 960
241-301-1711	DN 1400		3	226	490 691	497 446
241-301-1712	DN 1600		3	294	626 718	635 366
241-301-1713	DN 1800		3	372	702 552	712 408
241-301-1714	DN 2000		3	457	859 098	871 160
241-301-1715	DN 2200		3	552	1 035 407	1 049 948
241-301-1716	DN 2400		3	657	1 234 031	1 251 359
241-301-1800	20, SN 10000 Grey EN 1796-2018	GRP , PN				
241-301-1801	DN 300		3	12	63 015	63 817
241-301-1802	DN 350		3	16	73 454	74 396
241-301-1803	DN 400		3	20	85 443	86 545
241-301-1804	DN 500		3	31	111 439	112 895
241-301-1805	DN 600		3	41	140 847	142 694
241-301-1806	DN 700		3	56	177 651	179 998
241-301-1807	DN 800		3	72	220 450	223 372
241-301-1808	DN 900		3	90	267 079	270 629
241-301-1809	DN 1000		3	111	284 318	288 155
241-301-1810	DN 1200		3	159	392 101	397 415

241-301-1811	DN 1400		3	215	516 675	523 699
241-301-1812	DN 1600		3	280	659 359	668 344
241-301-1813	DN 1800		3	353	738 652	748 869
241-301-1814	DN 2000		3	435	902 625	915 124
241-301-1815	DN 2200		3	525	1 086 844	1 101 899
241-301-1816	DN 2400		3	624	1 293 807	1 311 725
241-301-1900	25, SN 10000 Grey EN 1796-2018 GRP, PN					
241-301-1901	DN 300		3	11,5	64 757	65 578
241-301-1902	DN 350		3	15	76 108	77 079
241-301-1903	DN 400		3	20	88 098	89 232
241-301-1904	DN 500		3	30	115 895	117 401
241-301-1905	DN 600		3	40	147 402	149 325
241-301-1906	DN 700		3	54	186 444	188 888
241-301-1907	DN 800		3	69	231 933	234 981
241-301-1908	DN 900		3	87	282 350	286 071
241-301-1909	DN 1000		3	107	302 774	306 817
241-301-1910	DN 1200		3	153	418 263	423 869
241-301-1911	DN 1400		3	207	551 821	559 236
241-301-1912	DN 1600		3	269	704 562	714 048
241-301-1913	DN 1800		3	340	788 782	799 551
241-301-1914	DN 2000		3	419	963 600	976 770
241-301-1915	DN 2200		3	500	1 147 962	1 163 654
241-301-1916	DN 2400		3	580	1 334 650	1 352 889

241-302.

GRP,

241-302-0100	, SN 5000, PN 1 1128-2002					
241-302-0101	DN 300		3	10	49 990	50 628
241-302-0102	DN 350		3	13	57 367	58 105
241-302-0103	DN 400		3	17	65 362	66 211
241-302-0105	DN 500		3	26	83 064	84 160
241-302-0106	DN 600		3	38	103 455	104 842
241-302-0107	DN 700		3	51	128 263	129 997
241-302-0108	DN 800		3	67	156 962	159 103
241-302-0109	DN 900		3	84	189 212	191 805
241-302-0110	DN 1000		3	104	199 576	202 369
241-302-0111	DN 1200		3	149	227 144	230 441
241-302-0112	DN 1400		3	201	298 874	303 232
241-302-0113	DN 1600		3	271	361 638	367 016
241-302-0114	DN 1800		3	333	401 418	407 512
241-302-0115	DN 2000		3	411	612 613	621 540
241-302-0116	DN 2200		3	507	736 995	747 783
241-302-0117	DN 2400		3	576	877 323	890 059
241-302-0120	DN 3000		3	645	1 359 836	1 378 627
241-302-0200	, SN 5000, PN 6 1128-2002					
241-302-0201	DN 300		3	10	50 099	50 738
241-302-0202	DN 350		3	13	57 589	58 330
241-302-0203	DN 400		3	17	65 654	66 507
241-302-0205	DN 500		3	26	83 601	84 703
241-302-0206	DN 600		3	38	103 991	105 385
241-302-0207	DN 700		3	51	129 027	130 771
241-302-0208	DN 800		3	67	158 220	160 375
241-302-0209	DN 900		3	84	191 088	193 703

241-302-0210	DN 1000		3	104	201 668	204 487
241-302-0211	DN 1200		3	149	229 415	232 739
241-302-0212	DN 1400		3	201	301 863	306 256
241-302-0213	DN 1600		3	271	365 254	370 676
241-302-0214	DN 1800		3	333	405 433	411 574
241-302-0215	DN 2000		3	411	617 183	626 165
241-302-0216	DN 2200		3	507	742 312	753 164
241-302-0217	DN 2400		3	576	883 052	895 857
241-302-0220	DN 3000		3	645	1 365 284	1 384 140
241-302-0300	, SN 5000, PN 10 1128-2002					
241-302-0301	DN 300		3	8	50 202	50 835
241-302-0302	DN 350		3	10	57 806	58 538
241-302-0303	DN 400		3	13	65 942	66 783
241-302-0305	DN 500		3	20	84 132	85 218
241-302-0306	DN 600		3	30	104 528	105 897
241-302-0307	DN 700		3	40	129 791	131 502
241-302-0308	DN 800		3	51	159 472	161 581
241-302-0309	DN 900		3	65	192 958	195 522
241-302-0310	DN 1000		3	80	203 755	206 506
241-302-0311	DN 1200		3	115	231 709	234 931
241-302-0312	DN 1400		3	155	304 882	309 135
241-302-0313	DN 1600		3	205	368 907	374 120
241-302-0314	DN 1800		3	255	409 487	415 378
241-302-0315	DN 2000		3	315	621 746	630 415
241-302-0316	DN 2200		3	375	747 630	758 039
241-302-0317	DN 2400		3	453	888 781	901 183

				,	,	,
241-302-0320	DN 3000		3	690	1 370 731	1 389 825
241-302-0400	, SN 5000, PN 16 1128-2002					
241-302-0401	DN 300		3	9	52 169	52 830
241-302-0402	DN 350		3	13	60 267	61 040
241-302-0403	DN 400		3	16	69 069	69 959
241-302-0405	DN 500		3	25	89 422	90 591
241-302-0406	DN 600		3	33	111 720	113 187
241-302-0407	DN 700		3	44	139 726	141 572
241-302-0408	DN 800		3	57	172 036	174 319
241-302-0409	DN 900		3	72	207 993	210 765
241-302-0410	DN 1000		3	89	219 983	222 964
241-302-0411	DN 1200		3	126	234 026	237 318
241-302-0412	DN 1400		3	171	307 931	312 281
241-302-0413	DN 1600		3	222	372 596	377 918
241-302-0414	DN 1800		3	280	413 582	419 618
241-302-0415	DN 2000		3	345	681 655	691 158
241-302-0416	DN 2200		3	416	818 753	830 173
241-302-0417	DN 2400		3	495	970 328	983 869
241-302-0420	DN 3000		3	770	1 492 950	1 513 818
241-302-0500	, SN 10000, PN 1 1128-2002					
241-302-0501	DN 300		3	12	55 340	56 050
241-302-0502	DN 350		3	16	64 066	64 896
241-302-0503	DN 400		3	21	73 405	74 367
241-302-0505	DN 500		3	32	94 706	95 966
241-302-0506	DN 600		3	46	118 918	120 522

				,	,	,
241-302-0507	DN 700		3	63	149 130	151 161
241-302-0508	DN 800		3	82	183 722	186 241
241-302-0509	DN 900		3	104	222 595	225 665
241-302-0510	DN 1000		3	128	237 094	240 430
241-302-0511	DN 1200		3	184	270 301	274 250
241-302-0512	DN 1400		3	214	368 981	374 229
241-302-0513	DN 1600		3	231	430 349	436 399
241-302-0514	DN 1800		3	325	477 688	484 666
241-302-0515	DN 2000		3	394	743 711	754 146
241-302-0516	DN 2200		3	464	899 020	911 587
241-302-0517	DN 2400		3	577	1 077 495	1 092 637
241-302-0600	, SN 10000, PN 6 1128-2002					
241-302-0601	DN 300		3	9	55 383	56 082
241-302-0602	DN 350		3	13	64 131	64 951
241-302-0603	DN 400		3	16	73 481	74 424
241-302-0605	DN 500		3	26	94 820	96 058
241-302-0606	DN 600		3	37	119 075	120 646
241-302-0607	DN 700		3	50	149 396	151 380
241-302-0608	DN 800		3	65	184 231	186 691
241-302-0609	DN 900		3	82	223 218	226 211
241-302-0610	DN 1000		3	101	237 723	240 963
241-302-0611	DN 1200		3	146	273 004	276 840
241-302-0612	DN 1400		3	197	388 284	393 698
241-302-0613	DN 1600		3	257	434 652	440 854
241-302-0614	DN 1800		3	325	482 465	489 500
241-302-0615	DN 2000		3	394	745 938	756 400

241-302-0616	DN 2200		3	464	901 974	914 577
241-302-0617	DN 2400		3	577	1 081 175	1 096 362
241-302-0700	, SN 10000, PN 10 1128-2002					
241-302-0701	DN 300		3	10	55 421	56 125
241-302-0702	DN 350		3	14	64 191	65 015
241-302-0703	DN 400		3	18	73 557	74 509
241-302-0705	DN 500		3	28	94 934	96 181
241-302-0706	DN 600		3	40	119 227	120 811
241-302-0707	DN 700		3	54	149 656	151 659
241-302-0708	DN 800		3	70	184 741	187 226
241-302-0709	DN 900		3	88	223 836	226 860
241-302-0710	DN 1000		3	109	238 351	241 630
241-302-0711	DN 1200		3	157	275 734	279 645
241-302-0712	DN 1400		3	213	376 434	381 768
241-302-0713	DN 1600		3	277	438 999	445 329
241-302-0714	DN 1800		3	351	487 289	494 483
241-302-0715	DN 2000		3	425	748 166	758 774
241-302-0716	DN 2200		3	495	904 928	917 685
241-302-0717	DN 2400		3	567	1 084 856	1 100 048
241-302-0800	, SN 10000, PN 16 1128-2002					
241-302-0801	DN 300		3	9	56 240	56 949
241-302-0802	DN 350		3	13	65 264	66 097
241-302-0803	DN 400		3	16	75 091	76 053
241-302-0805	DN 500		3	26	97 693	98 965
241-302-0806	DN 600		3	37	123 471	125 095

241-302-0807	DN 700		3	50	155 342	157 398
241-302-0808	DN 800		3	65	192 367	194 924
241-302-0809	DN 900		3	82	233 056	236 167
241-302-0810	DN 1000		3	101	247 484	250 841
241-302-0811	DN 1200		3	146	278 491	282 393
241-302-0812	DN 1400		3	197	380 199	385 516
241-302-0813	DN 1600		3	257	443 389	449 695
241-302-0814	DN 1800		3	325	492 162	499 314
241-302-0815	DN 2000		3	394	780 622	791 500
241-302-0816	DN 2200		3	464	940 826	953 895
241-302-0817	DN 2400		3	577	1 121 306	1 136 974
241-302-0900	, SN 5000, PN 1 31432-2011 (ISO 10467:2013)					
241-302-0901	DN 300		3	10	49 990	50 628
241-302-0902	DN 350		3	13	57 367	58 105
241-302-0903	DN 400		3	17	65 362	66 211
241-302-0904	DN 500		3	26	83 064	84 160
241-302-0905	DN 600		3	38	103 455	104 842
241-302-0906	DN 700		3	51	128 263	129 997
241-302-0907	DN 800		3	67	156 962	159 103
241-302-0908	DN 900		3	84	189 212	191 805
241-302-0909	DN 1000		3	104	199 576	202 369
241-302-0910	DN 1200		3	149	227 144	230 441
241-302-0911	DN 1400		3	201	298 874	303 232
241-302-0912	DN 1600		3	271	361 638	367 016
241-302-0913	DN 1800		3	333	401 418	407 512

241-302-0914	DN 2000		3	411	612 613	621 540
241-302-0915	DN 2200		3	507	736 995	747 783
241-302-0916	DN 2400		3	576	877 323	890 059
241-302-0917	DN 3000		3	645	1 359 836	1 378 627
241-302-1000	, SN 5000, PN 6 31432-2011 (ISO 10467:2013)					
241-302-1001	DN 300		3	10	50 099	50 738
241-302-1002	DN 350		3	13	57 589	58 330
241-302-1003	DN 400		3	17	65 654	66 507
241-302-1004	DN 500		3	26	83 601	84 703
241-302-1005	DN 600		3	38	103 991	105 385
241-302-1006	DN 700		3	51	129 027	130 771
241-302-1007	DN 800		3	67	158 220	160 375
241-302-1008	DN 900		3	84	191 088	193 703
241-302-1009	DN 1000		3	104	201 668	204 487
241-302-1010	DN 1200		3	149	229 415	232 739
241-302-1011	DN 1400		3	201	301 863	306 256
241-302-1012	DN 1600		3	271	365 254	370 676
241-302-1013	DN 1800		3	333	405 433	411 574
241-302-1014	DN 2000		3	411	617 183	626 165
241-302-1015	DN 2200		3	507	742 312	753 164
241-302-1016	DN 2400		3	576	883 052	895 857
241-302-1017	DN 3000		3	645	1 365 284	1 384 140
241-302-1100	, SN 5000, PN 10 31432-2011 (ISO 10467:2013)					

241-302-1101	DN 300		3	8	50 202	50 835
241-302-1102	DN 350		3	10	57 806	58 538
241-302-1103	DN 400		3	13	65 942	66 783
241-302-1104	DN 500		3	20	84 132	85 218
241-302-1105	DN 600		3	30	104 528	105 897
241-302-1106	DN 700		3	40	129 791	131 502
241-302-1107	DN 800		3	51	159 472	161 581
241-302-1108	DN 900		3	65	192 958	195 522
241-302-1109	DN 1000		3	80	203 755	206 506
241-302-1110	DN 1200		3	115	231 709	234 931
241-302-1111	DN 1400		3	155	304 882	309 135
241-302-1112	DN 1600		3	205	368 907	374 120
241-302-1113	DN 1800		3	255	409 487	415 378
241-302-1114	DN 2000		3	315	621 746	630 415
241-302-1115	DN 2200		3	375	747 630	758 039
241-302-1116	DN 2400		3	453	888 781	901 183
241-302-1117	DN 3000		3	690	1 370 731	1 389 825
241-302-1200	, SN 5000, PN 16 31432-2011 (ISO 10467:2013)					
241-302-1201	DN 300		3	9	52 169	52 830
241-302-1202	DN 350		3	13	60 267	61 040
241-302-1203	DN 400		3	16	69 069	69 959
241-302-1204	DN 500		3	25	89 422	90 591
241-302-1205	DN 600		3	33	111 720	113 187
241-302-1206	DN 700		3	44	139 726	141 572
241-302-1207	DN 800		3	57	172 036	174 319

241-302-1208	DN 900		3	72	207 993	210 765
241-302-1209	DN 1000		3	89	219 983	222 964
241-302-1210	DN 1200		3	126	234 026	237 318
241-302-1211	DN 1400		3	171	307 931	312 281
241-302-1212	DN 1600		3	222	372 596	377 918
241-302-1213	DN 1800		3	280	413 582	419 618
241-302-1214	DN 2000		3	345	681 655	691 158
241-302-1215	DN 2200		3	416	818 753	830 173
241-302-1216	DN 2400		3	495	970 328	983 869
241-302-1217	DN 3000		3	770	1 492 950	1 513 818
241-302-1300	, SN 10000, PN 1 31432-2011 (ISO 10467:2013)					
241-302-1301	DN 300		3	12	55 340	56 050
241-302-1302	DN 350		3	16	64 066	64 896
241-302-1303	DN 400		3	21	73 405	74 367
241-302-1304	DN 500		3	32	94 706	95 966
241-302-1305	DN 600		3	46	118 918	120 522
241-302-1306	DN 700		3	63	149 130	151 161
241-302-1307	DN 800		3	82	183 722	186 241
241-302-1308	DN 900		3	104	222 595	225 665
241-302-1309	DN 1000		3	128	237 094	240 430
241-302-1310	DN 1200		3	184	270 301	274 250
241-302-1311	DN 1400		3	214	368 981	374 229
241-302-1312	DN 1600		3	231	430 349	436 399
241-302-1313	DN 1800		3	325	477 688	484 666
241-302-1314	DN 2000		3	394	743 711	754 146

241-302-1315	DN 2200		3	464	899 020	911 587
241-302-1316	DN 2400		3	577	1 077 495	1 092 637
241-302-1400	, SN 10000, PN 6 31432-2011 (ISO 10467:2013)					
241-302-1401	DN 300		3	9	55 383	56 082
241-302-1402	DN 350		3	13	64 131	64 951
241-302-1403	DN 400		3	16	73 481	74 424
241-302-1404	DN 500		3	26	94 820	96 058
241-302-1405	DN 600		3	37	119 075	120 646
241-302-1406	DN 700		3	50	149 396	151 380
241-302-1407	DN 800		3	65	184 231	186 691
241-302-1408	DN 900		3	82	223 218	226 211
241-302-1409	DN 1000		3	101	237 723	240 963
241-302-1410	DN 1200		3	146	273 004	276 840
241-302-1411	DN 1400		3	197	372 707	377 935
241-302-1412	DN 1600		3	257	434 652	440 854
241-302-1413	DN 1800		3	325	482 465	489 500
241-302-1414	DN 2000		3	394	745 938	756 400
241-302-1415	DN 2200		3	464	901 974	914 577
241-302-1416	DN 2400		3	577	1 081 175	1 096 362
241-302-1500	, SN 10000, PN 10 31432-2011 (ISO 10467:2013)					
241-302-1501	DN 300		3	10	55 421	56 125
241-302-1502	DN 350		3	14	64 191	65 015
241-302-1503	DN 400		3	18	73 557	74 509

241-302-1504	DN 500		3	28	94 934	96 181
241-302-1505	DN 600		3	40	119 227	120 811
241-302-1506	DN 700		3	54	149 656	151 659
241-302-1507	DN 800		3	70	184 741	187 226
241-302-1508	DN 900		3	88	223 836	226 860
241-302-1509	DN 1000		3	109	238 351	241 630
241-302-1510	DN 1200		3	157	275 734	279 645
241-302-1511	DN 1400		3	213	376 434	381 768
241-302-1512	DN 1600		3	277	438 999	445 329
241-302-1513	DN 1800		3	351	487 289	494 483
241-302-1514	DN 2000		3	425	748 166	758 774
241-302-1515	DN 2200		3	495	904 928	917 685
241-302-1516	DN 2400		3	567	1 084 856	1 100 048
241-302-1600	, SN 10000, PN 16 31432-2011 (ISO 10467:2013)					
241-302-1601	DN 300		3	9	56 240	56 949
241-302-1602	DN 350		3	13	65 264	66 097
241-302-1603	DN 400		3	16	75 091	76 053
241-302-1604	DN 500		3	26	97 693	98 965
241-302-1605	DN 600		3	37	123 471	125 095
241-302-1606	DN 700		3	50	155 342	157 398
241-302-1607	DN 800		3	65	192 367	194 924
241-302-1608	DN 900		3	82	233 056	236 167
241-302-1609	DN 1000		3	101	247 484	250 841
241-302-1610	DN 1200		3	146	278 491	282 393
241-302-1611	DN 1400		3	197	380 199	385 516

241-302-1612	DN 1600		3	257	443 389	449 695
241-302-1613	DN 1800		3	325	492 162	499 314
241-302-1614	DN 2000		3	394	780 622	791 500
241-302-1615	DN 2200		3	464	940 826	953 895
241-302-1616	DN 2400		3	577	1 121 306	1 136 974

25.

251.

251-1.

251-103.

251-103-0200	2066-2010					
251-103-0202	- 20%		2	1	755	767
251-103-0203			2	1	2 386	2 417
251-103-0204			2	1	1 990	2 017
251-103-0205			2	1	2 716	2 752
251-103-0206	450 800		2	1	478	486
251-103-0207	100 600		2	1	409	417
251-103-0208			2	1	10 551	10 680
251-103-0209			2	1	1 736	1 759
251-103-0300	2066-2010					

				,	,	,
251-103-0301			2	1	1 872	1 897
251-103-0302			2	1	2 000	2 027

-  
,  
,

8.04-08-2025

3 -

: « »  
: Times New Roman. 60 84 <sup>1</sup>/<sub>8</sub>

---

050046, , 21  
./ : +7 (727) 226 94 10 –

-  
,  
,

8.04-08-2025

3

: « »  
: Times New Roman. 60 84 <sup>1</sup>/<sub>8</sub>

---

050046, . , . , 21  
./ : +7 (727) 226 94 10 –